


Pollution Incident Response Management Plan

Kooragang Berth 3, Port of Newcastle



Pollution Incident Response Management Plan

Quality Information

Document Incident Management Plan WHS-0060
 Ref A347793
 Date 06 September 2012
 Prepared by Alison Dodds - AECOM
 Updated by Christine Lubanski Environmental Officer – Port of Newcastle 3 June 2014

Revision History

Revision	Revision Date	Details	Authorised	
			Name/Position	Signature
A	11-Jul-2012	Draft	Graham Taylor Technical Director – Environment - AECOM	
B	13-Aug-2012	Draft (updated following NPC review)	Graham Taylor Technical Director – Environment - AECOM	
C	27-Aug-2012	Final working copy	Graham Taylor Technical Director – Environment - AECOM	
D	06. Sept. 2012	Updated by NPC following update of internal procedures	Ron Sorensen – General Manager Operations - NPC	
E	24.12.2013	Improvements identified during annual PIRMP test conducted on 19.12.2013	Ron Sorensen – General Manager Operations - NPC	
F	03-06-2014	Updated to reflect Port of Newcastle internal procedures	Keith Wilks General Manager Operations PON	

Kooragang Berth 3 PIRMP

Port of Newcastle

Annual PIRMP Test History

Test Date	Conducted By
19.12.13	Emma McCauley (EO)
03.12.14	Jackie Spiteri (EO)
08.12.15	Rebecca Jones (SO)

Table of Contents

0	What to do if a Pollution Incident Occurs	
v		
1.0	Introduction	
1.1	What is a Pollution Incident?	1
1.2	Immediate Notification	1
2.0	Requirements of the PIRMP	2
3.0	Pollution Incident Notification Protocol	9
3.1	Who do you notify?	9
3.2	What information must you provide?	10
3.3	Coordination with authorities	11
4.0	Notifying a Pollution Incident to Neighbours	11
4.1	Wider notification	11
4.2	Communication mechanisms	11
4.3	Information to be provided	12


Kooragang Berth 3 PIRMP

Port of Newcastle

This page left blank intentionally

1.0 What to do if a Pollution Incident Occurs

A “Pollution Incident” is an incident that causes or threatens material harm to the environment (see Section 1.1).



Kooragang Berth 3
Port of Newcastle

This page has been left blank intentionally

1.0 Introduction

This pollution incident response management plan (PIRMP) has been prepared for Port of Newcastle (PON's) Berth No. 3, Kooragang Island (K3). The PIRMP sets out the procedure to be followed in the event of a pollution incident at the site.

1.1 What is a Pollution Incident?

In accordance with the POEO Act (section 153F), if a pollution incident occurs in the course of an activity so that material harm to the environment is caused or threatened, the person carrying on the activity must immediately implement the PIRMP.

'Pollution Incident' is defined in the dictionary of the POEO Act as:

A pollution incident means an incident or set of circumstances during or as a consequence of which there is, or is likely to be, a leak, spill or other escape or deposit of a substance, as a result of which pollution has occurred, is occurring or is likely to occur. It includes an incident or set of circumstances in which a substance has been placed or disposed of on premises, but it does not include an incident or set of circumstances involving only the emission of any noise.

'Material Harm' is defined in section 147 of the POEO Act. Material harm includes on-site harm, as well as harm to the environment beyond the premises where the pollution incident occurred.

147 Meaning of material harm to the environment

(1) For the purposes of this Part:

(a) harm to the environment is material if:

(i) it involves actual or potential harm to the health or safety of human beings or to ecosystems that is not trivial, or

(ii) it results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (or such other amount as is prescribed by the regulations), and

(b) loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment.

(2) For the purposes of this Part, it does not matter that harm to the environment is caused only in the premises where the pollution incident occurs.

1.2 Immediate Notification

EPL licensees, and anyone carrying on an activity or occupying a premises who becomes aware of a pollution incident are required to report the pollution incident **immediately** (under section 148 of the POEO Act). (Formerly the requirement was 'as soon as practicable').

'Immediate' means licensees need to report pollution incidents promptly and without delay. There is a \$2 million maximum penalty for failure to notify of a pollution incident in accordance with the requirements of the POEO Act.

The duty to notify does not apply to a pollution incident involving only the emission of an odour, and does not include an incident or set of circumstances involving only the emission of noise.

2.0 Requirements of the PIRMP

The legislative requirements of the PIRMP and where these requirements have been met in this document are shown in Table 1. The parts of the PIRMP that must be made publicly available are noted in Table 1.

Table 1 Legislative Requirements of the PIRMP

Legislation	Requirement	Where this requirement is met	Must be Publicly Available?
POEO Act: Part 5.7A Duty to prepare and implement pollution incident response management plans			
153A Duty of licence holder to prepare pollution incident response management plan	The holder of an environment protection licence must prepare a pollution incident response management plan that complies with this Part in relation to the activity to which the licence relates.	This PIRMP in conjunction with the following PON documents: <ul style="list-style-type: none"> – Kooragang 3 Emergency Procedures (WHS-607). – Port of Newcastle Incident Management Plan (WHS-0600) – Emergency Environmental Response Procedures (EMS-010). – Environmental Incident Response and Reporting Procedure (EMS-009). 	
153C Information to be included in plan	A pollution incident response management plan must be in the form required by the regulations and must include the following: <ul style="list-style-type: none"> a) the procedures to be followed by the holder of the relevant environment protection licence, or the occupier of the relevant premises, in notifying a pollution incident to: <ul style="list-style-type: none"> i) the owners or occupiers of premises in the vicinity of the premises to which the environment protection licence or the direction under section 153B relates, and 	Refer to: <ul style="list-style-type: none"> – Sections 3.0 and 4.0 of this PIRMP; – Section 5.5.13 of Kooragang 3 Emergency Procedure (WHS – 607); – Section 5.2 Environmental Incident Response and Reporting Procedure (EMS-009). 	

Kooragang Berth 3
Port of Newcastle

Legislation	Requirement	Where this requirement is met	Must be Publicly Available?
	ii) the local authority for the area in which the premises to which the environment protection licence or the direction under section 153B relates are located and any area affected, or potentially affected, by the pollution, and	Refer to: <ul style="list-style-type: none"> – Table 3 of this PIRMP; – Section 5.5.13 of Kooragang 3 Emergency Procedure (WHS – 607); – Section 5.2 Environmental Incident Response and Reporting Procedure (EMS-009). 	
	iii) any persons or authorities required to be notified by Part 5.7	Refer to: <ul style="list-style-type: none"> – Table 3 of this PIRMP; – Section 5.5.13 of Kooragang 3 Emergency Procedure (WHS – 607); – Section 5.2 Environmental Incident Response and Reporting Procedure (EMS-009). 	
	b) a detailed description of the action to be taken, immediately after a pollution incident, by the holder of the relevant environment protection licence, or the occupier of the relevant premises, to reduce or control any pollution	Response procedures are specified in: <ul style="list-style-type: none"> – Section 5 of Kooragang 3 Emergency Procedure (WHS-607). – Port of Newcastle Incident Management Plan (WHS-0600) – Emergency Environmental Response Procedures (EMS-010). – Environmental Incident Response and Reporting Procedure (EMS-009). 	

Legislation	Requirement	Where this requirement is met	Must be Publicly Available?
	c) the procedures to be followed for co-ordinating, with the authorities or persons that have been notified, any action taken in combating the pollution caused by the incident and, in particular, the persons through whom all communications are to be made .	Refer to: – Sections 3.3 and 5.5.13 of Kooragang 3 Emergency Procedures (WHS-607)	
153D Keeping of plan	A person who is required to prepare a pollution incident response management plan under this Part must ensure that it is kept at the premises to which the relevant environment protection licence relates, or where the relevant activity takes place, and is made available in accordance with the regulations.	A copy of the PIRMP will be kept onsite at K3.	
153E Testing of plan	A person who is required to prepare a pollution incident response management plan under this Part must ensure that it is tested in accordance with the regulations.	Refer to Section 5.9 of Kooragang 3 Emergency Procedures (WHS-607)	
153F Implementation of plan	If a pollution incident occurs in the course of an activity so that material harm to the environment (within the meaning of section 147) is caused or threatened, the person carrying on the activity must immediately implement any pollution incident response management plan in relation to the activity required by this Part.	Refer to section 5.5.13.i) of Kooragang 3 Emergency Procedures (WHS-607).	
Protection of the Environment Operations (General) Regulation 2009: Part 3A Pollution incident response management plans			
98B Form of plan	1) A plan is to be in written form	This PIRMP.	
	2) A plan may form part of another document that is required to be prepared under or in accordance with any other law so long as the information required to be included in the plan is readily identifiable as such in that other document.	As noted, this PIRMP in conjunction with the following PON documents: – Kooragang 3 Emergency Procedure (WHS-607). – Port of Newcastle Incident Management Plan (WHS-0600) – Emergency Environmental Response Procedures (EMS-010).	

Legislation	Requirement	Where this requirement is met	Must be Publicly Available?
		– Environmental Incident Response and Reporting Procedure (EMS-009).	
98C Additional matters to be included in plan	1) General The matters required under section 153C (d) of the Act to be included in a plan are as follows:		
	a) a description of the hazards to human health or the environment associated with the activity to which the licence relates (the relevant activity),	Refer to Section 5.1 of Kooragang 3 Emergency Procedures (WHS-607)	
	b) the likelihood of any such hazards occurring, including details of any conditions or events that could, or would, increase that likelihood	Refer to Section 5.1 of Kooragang 3 Emergency Procedures (WHS-607)	
	c) details of the pre-emptive action to be taken to minimise or prevent any risk of harm to human health or the environment arising out of the relevant activity	Refer to Section 5.1 of Kooragang 3 Emergency Procedures (WHS-607)	
	d) an inventory of potential pollutants on the premises or used in carrying out the relevant activity	Refer to Section 5.2 of Kooragang 3 Emergency Procedures (WHS-607)	
	e) the maximum quantity of any pollutant that is likely to be stored or held at particular locations (including underground tanks) at or on the premises to which the licence relates	Refer to Section 5.2 of Kooragang 3 Emergency Procedures (WHS-607)	
	f) a description of the safety equipment or other devices that are used to minimise the risks to human health or the environment and to contain or control a pollution incident	Refer to Section 7 and Figure NC-1091 in Kooragang 3 Emergency Procedure (WHS-607).	
	g) the names, positions and 24-hour contact details of those key individuals who: i) are responsible for activating the plan, and ii) are authorised to notify	Refer to: – Section 5.5.13 and 5.6 of Kooragang 3 Emergency Procedures (WHS-607);	

Legislation	Requirement	Where this requirement is met	Must be Publicly Available?
	<p>relevant authorities under section 148 of the Act, and</p> <p>iii) are responsible for managing the response to a pollution incident</p>	<p>– Contacts Register of Kooragang 3 Emergency Procedures (WHS-607);</p>	
	<p>h) the contact details of each relevant authority referred to in section 148 of the Act</p>	<p>Refer to:</p> <p>– Table 3 of this PIRMP;</p> <p>– Section 5.5.13 of Kooragang 3 Emergency Procedures WHS-607.</p>	
	<p>i) details of the mechanisms for providing early warnings and regular updates to the owners and occupiers of premises in the vicinity of the premises to which the licence relates or where the scheduled activity is carried on</p>	<p>Refer to Section 4.0 of this PIRMP.</p>	✓
	<p>j) the arrangements for minimising the risk of harm to any persons who are on the premises or who are present where the scheduled activity is being carried on</p>	<p>Refer to Section 5 of Kooragang 3 Emergency Procedure (WHS-607).</p>	
	<p>k) a detailed map (or set of maps) showing the location of the premises to which the licence relates, the surrounding area that is likely to be affected by a pollution incident, the location of potential pollutants on the premises and the location of any stormwater drains on the premises</p>	<p>Refer to NC 1091</p>	
	<p>l) a detailed description of how any identified risk of harm to human health will be reduced, including (as a minimum) by means of early warnings, updates and the action to be taken during or immediately after a pollution incident to reduce that risk</p>	<p>Refer to Section 8 of Kooragang 3 Emergency Procedure (WHS-607).</p>	
	<p>m) the nature and objectives of any staff training program in</p>	<p>Training for the PIRMP will be conducted in</p>	

Legislation	Requirement	Where this requirement is met	Must be Publicly Available?
	relation to the plan	conjunction with in Emergency Response Training, refer Section 5.8 of Kooragang 3 Emergency Procedure (WHS-607).	
	n) the dates on which the plan has been tested and the name of the person who carried out the test	Most recent PIRMP test conducted on 19.12.13 by Emma McCauley (Objective A491785).	
	o) the dates on which the plan is updated	Refer to Section 5.9 of Kooragang 3 Emergency Procedures (WHS-607)	
	p) the manner in which the plan is to be tested and maintained.	Refer to Section 5.9 of Kooragang 3 Emergency Procedures (WHS-607)	
	2) Trackable waste transporters	Not applicable	
98D Availability of plan	1) A plan is to be made readily available: a) to an authorised officer on request, and	The PIRMP will be made readily available to an authorised EPA officer on request.	
	b) at the premises to which the relevant licence relates, or where the relevant activity takes place, to any person who is responsible for implementing the plan.	The PIRMP will be kept onsite at K3.	
	2) A plan is also to be made publicly available in the following manner within 14 days after it is prepared: a) in a prominent position on a publicly accessible website of the person who is required to prepare the plan, b) if the person does not have such a website—by providing a copy of the plan, without charge, to any person who makes a written request for a copy.	The PIRMP is publicly available on the Port of Newcastle's website	✓
	3) Subclause (2) applies only in relation to that part of a plan that includes the information required under: a) section 153C (a) of the Act, and b) clause 98C (1)(h) and (i) or (2)(b) and (c) (as the case requires).	The publicly available PIRMP includes those sections referred to in the Act and Regulation (refer to the right hand column of this Table 1).	

Legislation	Requirement	Where this requirement is met	Must be Publicly Available?
	4) Any personal information within the meaning of the Privacy and Personal Information Protection Act 1998 is not required to be included in a plan that is made available to any person other than a person referred to in subclause (1).	Noted.	
98E Testing of plan	1) The testing of a plan is to be carried out in such a manner as to ensure that the information included in the plan is accurate and up to date and the plan is capable of being implemented in a workable and effective manner.	Refer to Section 5.9 of Kooragang 3 Emergency Procedures (WHS-607)	
	2) Any such test is to be carried out: <ul style="list-style-type: none"> a) routinely at least once every 12 months, and b) within 1 month of any pollution incident occurring in the course of an activity to which the licence relates so as to assess, in the light of that incident, whether the information included in the plan is accurate and up to date and the plan is still capable of being implemented in a workable and effective manner. 	Refer to Section 5.9 of Kooragang 3 Emergency Procedures (WHS-607)	

3.0 Pollution Incident Notification Protocol

This Section of the PIRMP sets out the procedure to be followed by PON in notifying a pollution incident to authorities.

3.1 Who do you notify?

Firstly, call 000 if the incident presents an immediate threat to human health or property. Fire and Rescue NSW, the NSW Police and the NSW Ambulance Service are the first responders, as they are responsible for controlling and containing incidents.

If the incident does not require an initial combat agency, or once the 000 call has been made, you must immediately notify the NPC Vessel Traffic Information Centre (VTIC) of the incident and all relevant information about it. Contact NPC VTIC by phoning the Port Wide Emergency Line (contact details are provided in Table 2) below.

Table 2 Notification to VTIC

Contact	Phone Number
Port Wide Emergency Line	02 4929 3890

Immediately following notification to NPC VTIC, you must report the incident to the applicable Supervisor. The NPC VTIC is to use the agreed decision support tool to direct incident information to PON where the incident response lies with PON.

The Vessel Scheduler must contact the on call PON Duty Manager who will consult the PON General Manager Operations.

The PON Duty Manager is:

- i) responsible for activating the PIRMP, and
- ii) authorised to notify relevant authorities as advised below, and
- iii) responsible for managing the response to a pollution incident.

Upon receiving notification, the Duty Manager must determine the level of the incident. If the event is a pollution incident (refer to Section 1.1) the Duty Manager must then immediately (that is, promptly and without delay), provide notification of the pollution incident to all the authorities identified in Table 3, in the order as listed.

Table 3 Notification to Relevant Authorities

Contact	Phone Number
1. The EPA Environment Line	131 555
2. The Ministry of Health via the Newcastle office of the Public Health Unit	Ph: 02 4924 6477 (after hours calls divert to John Hunter Hospital - ask for the Public Health Officer on call)
3. The WorkCover Authority	13 10 50
4. Newcastle City Council	Water pollution incident reporting: 02 4974 2525 (during business hours) After hours phone the call centre: 4974 2000. Ask for the Compliance Duty Officer)

Contact	Phone Number
5. Fire and Rescue NSW	000

Whenever you make an incident notification you must **contact all five** relevant authorities. For example:

- If you initially rang Fire and Rescue on 000 due to an immediate threat to life and property, you must still contact the other four authorities; or
- If the incident did not require an initial combat agency, you must still notify all of the response authorities (including Fire and Rescue) in the order listed in Table 3.

You do not have to notify if you know that all relevant authorities are already aware of the incident (section 151 POEO Act).

If, at the time of making the notification, you believe that some of these authorities do not need to attend the incident, you may provide that advice. However, you must still provide all the information you have regarding the incident to each authority. It is the responsibility of each authority to decide whether they need to attend the incident.

Where authorities decide not to attend, the incident notification enables each authority to respond to enquiries about the incident and provides them with initial information in the event that the incident escalates or their involvement in managing the incident is required at some later stage.

PON may also need to make the following notifications:

- If the incident is also a security incident, PON must notify the Department of Infrastructure, Transport, Regional Development and Local Government within four hours of being notified. Contact details are found in the Port Security Management System;
- If the incident is a ship related incident or pollution and oil spill, PON must notify NSW Maritime's 24 hour Duty Officer, on 02 9962 9074; and
- If the incident involves an accident that involves a commercial vessel and /or a serious injury/fatality, PON must notify NSW Maritime Incident Reporting Hotline, on 0419 434 826.

3.2 What information must you provide?

Sufficient detail of the incident must be reported to the EPA to enable appropriate follow-up action. The relevant information required includes:

- a) the time, date, nature, duration and location of the incident;
- b) the location of the place where pollution is occurring or is likely to occur;
- c) the nature, the estimated quantity or volume and the concentration of any pollutants involved, if known;
- d) the circumstances in which the incident occurred (including the cause of the incident, if known); and
- e) the action taken or proposed to be taken to deal with the incident and any resulting pollution or threatened pollution, if known.

Any information that is not known when the incident is notified must be provided immediately once it becomes known.

3.3 Coordination with authorities

In the event of an immediate threat to life and property, the incident will be coordinated by emergency services. PON will act under instruction from emergency services and take any action as directed to combat pollution caused by the incident.

Following initial notification, the PON person through whom all communications are to be made to coordinate with authorities is the PON Duty Manager. Contact details are provided in Table 4.

Table 4 PON Person to Communicate with Authorities

Contact		Phone Number
PON Duty Manager (who will consult with PON General Manager Operations)	Glen Hayward	0407 040 719
	Keith Wilks	0412 872 762

4.0 Notifying a Pollution Incident to Neighbours

This section of the PIRMP sets out the procedures to be followed by PON in notifying a pollution incident to the owners or occupiers of premises in the vicinity of K3.

4.1 Wider notification

The EPA can formally direct PON to notify others. If so directed, PON would contact commercial, industrial and residential neighbours to inform them of the circumstances of the incident and what action is being taken in response to it. It will be an offence not to comply with such a direction.

The EPA may advise PON of the extent of notification required. If not, PON would determine the extent of who to contact based on the nature of the pollution incident and the conditions at the time (for example, the type of pollutant, prevailing winds, magnitude of incident, and possible impacts).

In addition to the above notification process, advice would also be sought from relevant tenants should the pollution incident involve their product, as follows:

- Carrington Precinct: Graincorp; Citrosuco; BP, Conports; NAT; Patricks
- Kooragang 2: Orica; Cement Australia; Cargill
- Kooragang 3: Kooragang Bulk Facilities; Incitec Pivot
- Mayfield 4: Stolthaven

In this instance each tenant would implement their respective Pollution Incident Management Plan.

4.2 Communication mechanisms

In the event that the pollution incident is being coordinated by emergency services, communications would be under the control of emergency services. Emergency services are able to send out SMS messages to defined catchment areas to alert and advise the community if required. PON's governance team (through the person nominated at Table 4) would work with emergency services to provide communications assistance and support, including direct doorknocks if they were required.

If communication is not coordinated by emergency services, notification to the owners or occupiers of premises in the vicinity of K3 would be coordinated by the person nominated in Table 4.

PON has in place mechanisms for providing early warnings and regular updates to the owners and occupiers of premises in the vicinity of the berths, and the community. The mechanisms available include:

- SMS messages to immediate neighbours;
- media releases to the broader community (radio and television);
- incident notification on the PON website;
- emails to community representatives; and
- doorknocking of affected community members.

The communication response to be used in the event of a pollution incident would depend on the circumstances of the event, and any direction that may be provided by the EPA.

A media liaison officer is available to be contacted 24/7 in the event that a media release is required. Media updates could be provided on an ongoing basis depending on the incident.

PON conducts a consultative meeting with various Newcastle Port users every three months (Newcastle Port User Group). This two-way consultative meeting could also be a forum for PON to report on any progress, updates or changes following an incident to Port users.

4.3 Information to be provided

In the event of a pollution incident, communication to the community would include specific information to minimise the risk of harm. For example, this may include instructions to close windows and doors and remain inside for incidents involving emission of air pollutants.

The information to be provided would be dependent on the nature and circumstances of the event.

Kooragang Berth 3
Port of Newcastle

This page has been left blank intentionally.